




PROTOSTHETICS
3D PRINTED PROSTHETICS & ORTHOTICS

uniprox®

SoftSkin *Air*®

The world's first breathable silicone liner.



Thanks to its distinctive structure, the new SoftSkin Air reduces the build-up of sweat on the skin inside the liner. Any moisture produced is drawn away from the stump by special micropores.

- Benefits:
- Reduced sweating thanks to micropores
 - More security thanks to an improved grip
 - Better, longer-lasting wearing comfort
 - Less skin irritation
 - Easy to use



Further information about the new SoftSkin Air can be found at www.uniprox.de

SoftSkin S30Air

- Below knee (Transtibial)
- With distal connector
- Shore hardness 30
- Wall thickness 3 mm
- Length 370 mm



Order No.	Circ. in cm	Article No.	Order No.	Circ. in cm	Article No.
S30-16 Air	16	4 164 020 30 00 160	S30-30 Air	30	4 164 020 30 00 300
S30-18 Air	18	4 164 020 30 00 180	S30-32 Air	32	4 164 020 30 00 320
S30-20 Air	20	4 164 020 30 00 200	S30-34 Air	34	4 164 020 30 00 340
S30-21 Air	21	4 164 020 30 00 210	S30-36 Air	36	4 164 020 30 00 360
S30-22 Air	22	4 164 020 30 00 220	S30-38 Air	38	4 164 020 30 00 380
S30-23,5 Air	23,5	4 164 020 30 00 235	S30-40 Air	40	4 164 020 30 00 400
S30-25 Air	25	4 164 020 30 00 250	S30-42 Air	42	4 164 020 30 00 420
S30-26,5 Air	26,5	4 164 020 30 00 265	S30-45 Air	45	4 164 020 30 00 450
S30-28 Air	28	4 164 020 30 00 280			

SoftSkin S40 Air

- Below knee (Transtibial)
- With distal connector
- Shore hardness 40
- Wall thickness 3 mm
- Length 370 mm



Order No.	Circ. in cm	Article No.	Order No.	Circ. in cm	Article No.
S40-16 Air	16	4 164 020 40 00 160	S40-30 Air	30	4 164 020 40 00 300
S40-18 Air	18	4 164 020 40 00 180	S40-32 Air	32	4 164 020 40 00 320
S40-20 Air	20	4 164 020 40 00 200	S40-34 Air	34	4 164 020 40 00 340
S40-21 Air	21	4 164 020 40 00 210	S40-36 Air	36	4 164 020 40 00 360
S40-22 Air	22	4 164 020 40 00 220	S40-38 Air	38	4 164 020 40 00 380
S40-23,5 Air	23,5	4 164 020 40 00 235	S40-40 Air	40	4 164 020 40 00 400
S40-25 Air	25	4 164 020 40 00 250	S40-42 Air	42	4 164 020 40 00 420
S40-26,5 Air	26,5	4 164 020 40 00 265	S40-45 Air	45	4 164 020 40 00 450
S40-28 Air	28	4 164 020 40 00 280			

SoftSkin S30CL Air

- Below knee (Transtibial)
- No distal connector
- Shore hardness 30
- Wall thickness 3 mm
- Length 370 mm



Order No.	Circ. in cm	Article No.	Order No.	Circ. in cm	Article No.
S30CL-16 Air	16	4 168 020 30 00 160	S30CL-30 Air	30	4 168 020 30 00 300
S30CL-18 Air	18	4 168 020 30 00 180	S30CL-32 Air	32	4 168 020 30 00 320
S30CL-20 Air	20	4 168 020 30 00 200	S30CL-34 Air	34	4 168 020 30 00 340
S30CL-21 Air	21	4 168 020 30 00 210	S30CL-36 Air	36	4 168 020 30 00 360
S30CL-22 Air	22	4 168 020 30 00 220	S30CL-38 Air	38	4 168 020 30 00 380
S30CL-23,5 Air	23,5	4 168 020 30 00 235	S30CL-40 Air	40	4 168 020 30 00 400
S30CL-25 Air	25	4 168 020 30 00 250	S30CL-42 Air	42	4 168 020 30 00 420
S30CL-26,5 Air	26,5	4 168 020 30 00 265	S30CL-45 Air	45	4 168 020 30 00 450
S30CL-28 Air	28	4 168 020 30 00 280			

SoftSkin S40CL Air

- Below knee (Transtibial)
- No distal connector
- Shore hardness 40
- Wall thickness 3 mm
- Length 370 mm



Order No.	Circ. in cm	Article No.	Order No.	Circ. in cm	Article No.
S40CL-16 Air	16	4 168 020 40 00 160	S40CL-30 Air	30	4 168 020 40 00 300
S40CL-18 Air	18	4 168 020 40 00 180	S40CL-32 Air	32	4 168 020 40 00 320
S40CL-20 Air	20	4 168 020 40 00 200	S40CL-34 Air	34	4 168 020 40 00 340
S40CL-21 Air	21	4 168 020 40 00 210	S40CL-36 Air	36	4 168 020 40 00 360
S40CL-22 Air	22	4 168 020 40 00 220	S40CL-38 Air	38	4 168 020 40 00 380
S40CL-23,5 Air	23,5	4 168 020 40 00 235	S40CL-40 Air	40	4 168 020 40 00 400
S40CL-25 Air	25	4 168 020 40 00 250	S40CL-42 Air	42	4 168 020 40 00 420
S40CL-26,5 Air	26,5	4 168 020 40 00 265	S40CL-45 Air	45	4 168 020 40 00 450
S40CL-28 Air	28	4 168 020 40 00 280			



SoftSkin TF Air

- Above knee (Transfemoral)
- With distal connector
- Shore hardness 40
- Wall thickness 3 mm
- Length 370 mm

Order No.	Circ. in cm	Article No.	Order No.	Circ. in cm	Article No.
STF-28 Air	28	4 165 020 60 00 280	STF-40 Air	40	4 165 020 60 00 400
STF-30 Air	30	4 165 020 60 00 300	STF-42 Air	42	4 165 020 60 00 420
STF-32 Air	32	4 165 020 60 00 320	STF-45 Air	45	4 165 020 60 00 450
STF-34 Air	34	4 165 020 60 00 340	STF-50 Air	50	4 165 020 60 00 500
STF-36 Air	36	4 165 020 60 00 360	STF-55 Air	55	4 165 020 60 00 550
STF-38 Air	38	4 165 020 60 00 380			



Benefits

- Reduced sweating due to micropores
- More security from improved grip
- Better, longer-lasting wearing comfort
- Reduction of elongation
- Less skin irritation
- Medical grade silicone
- Available in 30 or 40 durometer
- Available as transtibial (BK) and transfemoral (AK)
- Available with or without distal connector (pin lock)
- Machine washable

SoftSkin^{Air}®

The world's first breathable silicone liner.



PROTOSTHETICS
3D PRINTED PROSTHETICS & ORTHOTICS

617 4th St N Ste. 1

Fargo, ND 58102

P: (701) 478-2001

F: (701) 478 -1020

E: contact@protosthetics.com